



Efficient-Tec International, LLC
Stainless Steel Systems 

DATE:


CUSTOMER:

PROJECT:

Page 1 of 3

WARDROBE RADIANCE

Illuminated Closet Rod System



ILLUMINATED RAILING OPTIONS

DESIGN LINE NAME	1 MATERIAL & FINISH	2 ROD SIZE	3 ACCENT INSERT	4 LIGHT DISTRIBUTION	5 LED OUTPUT	6 LENS STYLE	7 ILLUMINATION COLOR	8 DRIVER TYPE	9 LENGTH IN INCHES
WARDROBE RADIANCE	ALPC	1			1	1		1	

1	MATERIAL & FINISH
ALPC	6063 Aluminum w/Powder Coat Finish (RAL Required)

2	ROD SIZE
1	1.30" O.D.

3	ACCENT INSERT OPTIONS
VRO	RED OAK VENEER
VWO	WHITE OAK VENEER
VWB	WHITE BIRCH VENEER
G	GREEN
R	RED
B	BLUE
K	BLACK
W	WHITE
Y	YELLOW

4	LIGHT DISTRIBUTION
D	Direct (down)
I	Indirect (up)
DI	Direct & Indirect (both)

5	* LED OUTPUT
1	High Output 3.87W / 443lm per ft

6	LENS STYLE
1	Clear w/ prismatic diffusers

7	ILLUMINATION COLOR
27	Linear Warm White 2700K CCT
30	Linear Warm White 3000K CCT
40	Linear White 4000K CCT

8	DRIVER
1	Remote

9	LENGTH IN INCHES
ENTER LENGTH IN INCHES	


STANDARD DECORATOR COLORS

- Green
- Red
- Blue
- Black
- White
- Yellow




NATURAL WOOD GRAIN VENEER

- Red Oak
- White Oak
- White Birch




WARDROBE RADIANCE

Illuminated Closet Rod System




WARDROBE RADIANCE

Illuminated Closet Rod System



RoHS



SECTION

- ILLUMINATION:**
HIGH OUTPUT LED LIGHTING
- SPECIFICATIONS:**
- 24 VDC POWER
 - IP20
 - 200 LUMENS PER FOOT
 - 4.4 WATTS PER/FT FOR SINGLE ILLUM.
 - 8.8 WATTS PER/FT FOR DOUBLE ILLM. CONSUMPTION
 - COLOR TEMP:
 - WARM WHITE
 - NATURAL WHITE

